

Sıra №	Açıklama	Sayı
1	Monitor 27-Inch Full HD 1920x1080, IPS Panel Technology, 100Hz Refresh Rate, 4ms Response Time, Natural Low Blue Light - Black	75
2	Notebook Business model 14 2-in-1 G4 IML Touch Intel Core Ultra 7 155U (up to 4.80 GHz / 12Core / 12MB) / 32GB (2x16GB) DDR5-5600 MHz / / 512 GB SSD M.2 / / / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 300 nits 60Hz / Intel Graphics / / Wi-Fi / Bluetooth / / Backlight / Fingerprint / 60Wh / 1.64 kg / FreeDOS / One Year Warranty / Luna Grey /	25
3	Notebook Business model Intel Core Ultra 7 155H (up to 4.80 GHz / 16Core / 24MB) / 32GB (2x16GB) DDR5-5600 MHz / 512 GB SSD M.2 / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 400 nits 60Hz / Intel Arc Graphics / USB Ethernet Adapter / Wi-Fi / Bluetooth / Backlight / Fingerprint / 52.5Wh / 1.38 kg / FreeDOS / Three Years Warranty / Black	25
4	Monoblok Core i7-13620H, 10C (6P + 4E) / 16T, P-core up to 4.9GHz, E-core up to 3.6GHz, 24MB 16GB (2x 8GB) SO-DIMM DDR5-5200 1TB SSD M.2 2280 PCIe 4.0x4 NVMe 27" QHD (2560x1440) IPS 350nits Anti-glare, 99% sRGB, 3-side borderless, hardware low blue light, Non-Touch 1x USB-A (USB 10Gbps / USB 3.2 Gen 2) 2x USB-A (Hi-Speed USB / USB 2.0) 1x HDMI-in 1.4 1x HDMI-out 2.1 TMDS 1x Ethernet (RJ-45) 1x power connector	20
5	Workstation Tower 14th Generation Intel® Core™ i7-14700 vPro® Processor (E-cores up to 4.20 GHz P-cores up to 5.30 GHz) 32 GB DDR5-5600MHz (UDIMM) NVIDIA T1000 8GB (4x mDP) GDDR6 4 x Mini DP to DP 512 GB SSD M.2 2280 PCIe Gen4 Performance TLC Opal	25
6	Runs Android 9.0 7 inch (1024 x 600) capacitive adjustable touch screen 720p30 HD video Optimal HD audio, Yealink Noise Proof Technology Yealink's SDK (Software Development Kit) DoorPhone Features (Preview, One-button Open, Monitoring) Built-in Bluetooth 4.2 and Dual Band 2.4G/5G Wi-Fi 2 x USB 2.0 ports for USB headset, media and storage applications Opus Codec support Up to 16 SIP accounts Up to 3-party video conferencing Up to 10-party video/audio mixed conferencing (up to 2 video calls) Dual-port Gigabit Ethernet, supports PoE Wall mountable Supports up to 3 Expansion Module EXP50 Supports Yealink/Unify Square Device Management Platform	1
7	mövcud sistemin genişlendirmesi için Runs Android 9.0 7 inch (1024 x 600) capacitive adjustable touch screen Optimal HD audio, Yealink Noise Proof Technology Yealink's SDK (Software Development Kit) DoorPhone Features (Preview, One-button Open, Monitoring) Built-in Bluetooth 4.2 and Dual Band 2.4G/5G Wi-Fi 2 x USB 2.0 ports for USB headset, media and storage applications Opus Codec support Up to 16 SIP accounts Up to 3-party video conferencing Up to 10-party video/audio mixed conferencing (up to 2 video calls) Dual-port Gigabit Ethernet, supports PoE Wall mountable Supports up to 3 Expansion Module EXP50 Supports Yealink/Unify Square Device Management Platform	1
8	mövcud sistemin genişlendirmesi için Compatible with Yealink SIP-T58W/SIP-T58A IP Phones 5 mega-pixel HD Camera 720p@30fps Ease-of-use Plug and Play Adjustable with privacy shutter	1
9	mövcud sistemin genişlendirmesi için Yealink EXP50, DDS Module	2
10	mövcud sistemin genişlendirmesi için Yealink W73P, DECT Base + Handset PoE	1
11	WIRELESS HDMI EXTENDER	1
12	Notebook Intel Core i7 14650HX (up to 5.20 GHz / 16Core / 30MB) / 32GB (1x32GB) DDR5-5600 MHz / 1 TB SSD M.2 / 16.1" (40.9 cm) Full HD (1920 x 1080) IPS 300 nits 144Hz / NVIDIA GeForce RTX 4070 Laptop GPU 8 GB GDDR6 / Ethernet (RJ-45) / Wi-Fi / Bluetooth / / Backlight / / 6-cell, 83 Wh / 2.33 kg / FreeDOS / One Year Warranty / Mica silver	2
13	Workstation Tower Intel Core i9-14900 5.80G 36 MB 24 cores 65W / 32GB (1x32GB) DDR5 4800 UDIMM NECC Memory / Z Turbo 1TB PCIe-4x4 2280 SED OPAL2 TLC M.2 / Win11p64HighEnd / NVIDIA RTX A4000 16 GB FH Blower Fan 4DP PCIe x16 GFX / NoIncludedODD / USB320K / 3 yw	2
14	BLUETOOTH PRESENTATION REMOTE GRAPHITE	5

15	Notebook Business model Intel® Core™ i7-1365U (up to 5.2 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) 32 GB LPDDR5-6400 MT/s (onboard) 1 TB PCIe® Gen4 NVMe™ TLC M.2 SSD Display 34.3 cm (13.5") diagonal, WUXGA+ (1920 x 1280), touch, IPS, BrightView, 1000 nits, 72% NTSC, HP Sure View integrated privacy screen Ports 2 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4) 1 USB Type-A 5Gbps signaling rate (USB Power Delivery) 1 HDMI 2.1 1 stereo headphone/microphone combo jack	1
16	Notebook Business model Ultra Flip Touch Intel Core Ultra 7 258V (up to 4.80 GHz / 8Core / 12MB) / 32GB (1x32GB) LPDDR5X-8533 MHz / / 1 TB SSD M.2 / / / 14" (35.6 cm) 2.8K (2880 x 1800) IPS OLED 400 nits 120Hz / Intel Arc Graphics / / Wi-Fi / Bluetooth / / Backlight / Fingerprint / 6-cell, 64 Wh / 1.34 kg / Windows 11 Home 64 bit / One Year Warranty / Gray /	2
17	Notebook Business model 2-in-1 Touch /X1Y9_ULT7_155U_IG+32G+211_NE/14_WUXGA_AG_400N_MT_SRGB_LP/CORE_ULT7_155U_1.7G_12C_14T/32GB(4X64GX32)_LP5X_7500/1_TB_SSD_M.2_2280_G4P_TLC_OP/INTEGRATED_GRAPHICS/NONE/3Y Premier Support WHB (CPN)/INT_AX211_2X2AX_6E+BT_VPRO_MB/FINGERPRINT_READER,CLICKPAD_NFC_NO_WWAN/FHD_RGB+IR_CAMERA/NO_MI	1
18	Universal USB-C Dock USB Ports 2 x USB-A 2.0 3 x USB-A 3.2 Gen 21 (10 Gbps, 1 with Always-On Charging) 1 x USB-C (10 Gbps, 5V/3A) Video Ports 2 x DisplayPort 1.4 1 x HDMI 2.0 Resolution Up to 3 x 4K @ 60 Hz System Charging 65W with 90W Power Adapter attached; Max. 100W with 135W Power Adapter attached	1
19	Monitor 27" (68.6 cm) Full HD (1920 x 1080) 75Hz IPS 300 cd/m² / 16:9 / 6 ms / VGA / HDMI / DisplayPort / 4 x USB 3.2 Port / VESA / Three Years Warranty AC power cord / DisplayPort cable / USB cable	1
20	27" (68.6 cm) Full HD (1920 x 1080) 100Hz IPS 300 cd/m² / 16:9 / 5 ms / VGA / / / 2xHDMI / / One Year Warranty AC power cord / HDMI cable	2
21	Universal USB-C Dock 4 x USB 3.2 Gen 1 Type-A Ports 1 x 15W USB Type-C Port with Data 1 x RJ-45 Gigabit Ethernet Port 1 x HDMI 2.0 Port 2 x DisplayPort Outputs 1 x 3.5mm Combo Audio Port USB Type-C Host Connector Supports up to Three 4K Displays Up to 100W of Power Delivery to Host Compatible with Windows, macOS & Chrome	2
22	A4 LaserJet / Print, copy, scan, fax / Black 33 ppm / Color 33 ppm / Up to 600 x 600 dpi / Touch LCD 10.92 cm (4.3") CGD / 2 Host port / USB 2.0 Printing Port / Ethernet (RJ-45) / / / Fax / / 512 MB / Duplex printing / Flatbed, ADF / Duplex ADF scanning / 60-163 g/m² / One Year Warranty	18
23	Notebook Business model 13.5 inch (i7-1355U, UMA, 32GB) / 13.5 WUXGA+ (1920x1280) W+LBL UWVA 1000 Sre View Relect bnt Panel / 1TB PCIe-4x4 2280 NVMe TLC / W11p64 / 1yw / 3yww Next Business Day Onsite Notebook with Travel Bundle Extension / for WWAN Clickpad Backlit	1
24	8G PoE+ (65W) Switch (4) RJ-45 autosensing 10/100/1000 ports (4) RJ-45 autosensing 10/100/1000 PoE+ ports / 65 W PoE+ / Web browser / 1U	3
25	External ssd drive 1TB SSD	3
26	External HDD drive 4TB	7
27	Yealink RoomPanel Plus	5
28	Earphones	5
29	Speakers	10
30	Webcam	10
31	HDMI to DP cable	20
32	HDD 600 gb 15K SAS Seagate	6
33	Firewall 8 x GE RJ45 ports, 2 x RJ45/SFP shared media WAN ports, 128GB SSD	1
34	Microphone for logitech rally camera	2
35	Indoor Wireless AP - Tri radio (Wi-Fi-6E IEEE 802.11ax Tri-band 2.4/5/6GHz and dual 5G operation 2+2+2 2 streams 3 radios) [Note: 6GHz band not available in all regulatory domains], internal antennas, 1x10/100/1000 RJ45 , 1x 100/1000/2500 Base-T RJ45, BT/BLE, 1x Type A USB, Console Port (RJ45). Ceiling/wall mount kit included. For power order: 802.3at PoE injector GPI-130 or AC adapter SP-FAP200-PA. Region Code E	10
36	ENI modul	2
37	Notebook Business model Intel Core Ultra 7 155U (up to 4.80 GHz / 12Core / 12MB) / 16GB (1x16GB) LPDDR5-6400 MHz Soldered / / 1 TB SSD M.2 / / / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 400 nits 60Hz / Intel Arc Graphics / USB Ethernet Adapter / Wi-Fi / Bluetooth / / Backlight / Fingerprint / 57Wh / 1.08 kg / Windows 11 Pro 64 bit / Three Years Warranty / Black /	1

38	48 Ports Full POE+ Network Essentials Total Number of MAC Addresses 16,000 IPv4 Routing Entries 3,000 Multicast Routing Scale 1,000 Flexible NetFlow (FNF) Entries 16,000 Flows on 24- and 48-Port Gigabit Ethernet Models Flash 4 GB Total Switched Virtual Interfaces (SVIs) 512 Uplink Configuration 4x 1G Fixed Uplinks Total Number of IPv4 Routes (ARP plus Learned Routes) 11,000 (8,000 Direct Routes and 3,000 Indirect Routes) IPv6 Routing Entries 1,500 QoS Scale Entries 1,000 DRAM 2 GB VLAN IDs 1024 Switching Capacity 104 Gbps	5
39	CUDY GS1008PS2 8-Port Gigabit Poe+Switch with 2 Gigabit SFP	2
40	Notebook Business model Intel Core Ultra 7 155H (up to 4.80 GHz / 16Core / 24MB) / 16GB (1x16GB) DDR5-5600 MHz / / 512 GB SSD M.2 / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 300 nits 60Hz / Intel Arc Graphics / Ethernet (RJ-45) / Wi-Fi / Bluetooth / / Backlight / Fingerprint / 60Wh / 1.38 kg / FreeDOS / One Year Warranty / Arctic Grey /	85
41	M4 (10 cores , up to 3.90 GHz) RAM: 16 GB LPDDR5-6400 MHz Disk: 256 GB SSD M.2 2242 PCIe 4.0x4 NVMe Ekran: 13.6" Liquid Retina (2560 x 1664),60 Hz Əməliyyat sistemi: MacOS Sequoia Korpus: Gümüşü	2
42	Texnologiya : QLED Görüntü imkanları : 3840 x 2160 Smart TV : Var Tezlik (Hz) : 120 Hz Əməliyyat sistemi : GoogleTV Akustik sistem : 2 Dinamik Yuxu taymeri : Var İstehsalçı ölkə : Çin Audio dekorderlər : Dolby Digital USB : Var Dəstəklənən formatlar : MP3, WMA, AC3,JPEG,PNG,BMP,GIF Wi-Fi : Var Ekranın formatı : 16:9 Rəng : Black Çəki : 54 kq Portlar : HDMI1.4 & HDMI2.0 & HDMI2.1, HDCP1.4 & HDCP2.2 Ekran ölçüsü : 98 3D dəstək : Yox Stereo səs : Var Səs gücü : (10W+10W)*2+20W	1
43	IDS-2CD7A26G0/P-IZHS Hikvision IP Camera	1
44	920-008534 Logitech K360 Wireless Keyb	1
45	CY05 HDMI Splitter 1x2	6
46	HDMI 10M	5
47	4X90S91831 LENOVO CABLE BO USB C TO ETHERNET	20
48	Jabra Evolve 20 MS Mono	6
49	Snom D735	10
50	Jabra Evolve 20 MS Stereo	4
51	Notebook Business model Intel Core Ultra 7 155H (up to 4.80 GHz / 16Core / 24MB) / 32GB (2x16GB) DDR5-5600 MHz / 512 GB SSD M.2 / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 400 nits 60Hz / Intel Arc Graphics / USB Ethernet Adapter / Wi-Fi / Bluetooth / Backlight / Fingerprint / 52.5Wh / 1.38 kg / FreeDOS / Three Years Warranty / Black	10
52	AMD Ryzen Threadripper PRO 3995WX 64-core, 128-thread Desktop Processor PC RAM Crucial 4x32GB(128GB) DDR4 3200MHz CL22 (CT32G4DFD832A) SSD M.2 Samsung 980 PCIe 3.0 Nvme 2x1TB(2TB) Write Speed: Up to 3,000 Mb/s Read Speed: Up to 3500 Mb/s HDD Western Digital Purple Surveillance 2x10TB 3.5 SATA 6 Gb/s, 256 MB PN 2W10242	1
53	Monitor 27" (68.6 cm) QHD (2560 x 1440) 75Hz IPS 300 cd/m² / 16:9 / 4 ms / 4 x USB 3.2 Port / 1 Type-C / Combo Audio Jack 3.5 mm / DisplayPort / Ethernet (RJ-45) / Web-camera / Speakers / VESA / Three Years Warranty	2
54	Switch Layer 2/3 FortiGate switch controller compatible PoE+ switch with 24 GE RJ45 + 4 SFP ports, 12 port PoE with Switching capacity: 56 Gbps Packet transfer capability: 83 Mpps Latency: 1 µs Maximum 180 W limit.Routing Protocol RIP-2, VRRP, OSPFv2 Remote Management Protocol SNMP 1, Telnet, SNMP 3, SNMP 2c, HTTP, HTTPS, TFTP, SSH, CLI	2
55	14.2-inch Liquid Retina XDR display with up to 1600 nits peak brightness, M4 Pro (14C CPU/20C GPU), Memory 24 GB, Storage 1 TB, Space Black, Space Black, APPLE Magic Mouse 4 black, APPLE USB-C Digital AV Multiport Adapter, White APPLE USB-C DIGITAL AV MULTIPORT ADAPTER MUF82ZM/A/MW5M3ZM/A Apple Magic 2 Mouse MMMQ3ZM/A	1
56	Screen diagonal 65 inches (165 cm) Screen permission4K (3840 x 2160) Update frequency60Hz Operating system Tizen Sound power2x 10 Watt Sound acoustics Q-Symphony, Object Tracking Sound Supported formats MP3, MP4, WMA, AC3, JPEG, PNG, BMP, GIF Entries HDMI, USB, LAN, CI module, AUX Input Features HDR10+, Wi-Fi 5; Bluetooth 5.2, ScreenMirroring, GameHub, Dolby Vision/Dolby Atmos	1

57	Ekran ölçüsü 6.67" Ekran Növü AMOLED, 68B colors, 120Hz, HDR10+, Dolby Vision, 3000 nits (peak) Görüntü imkanı 1220 x 2712 Operativ yaddaş (RAM) 12 GB Daxili yaddaş 512 GB Prosesor tipi (Chipset) Qualcomm SM7635 Snapdragon 7s Gen 3 (4 nm) Prosesor tezliyi (CPU) Octa-core (1x2.5 GHz Cortex-A720 & 3x2.4 GHz Cortex-A720 & 4x1.8 GHz Cortex-A520) Qrafik Prosesor (GPU) Adreno 710 (940 MHz) Nüvə sayı 8 Əsas kamera 200 MP, f/1.7, 23mm (wide), 1/1.4", 0.56µm, multi-directional PDAF, OIS 8 MP, f/2.2, 15mm, 120° (ultrawide), 1/4.0", 1.12µm 2 MP, f/2.4, (macro) Ön kameram20 MP, f/2.2, 21mm (wide), 1/4.0", 0.7µm Batareya tutumu (mAh) 5110 mAh Ölçülər 162.5 x 74.7 x 8.8 mm Qorunma sistemi IP68 Şəbəkə LTE NFC SIM-kart Dual SIM (Nano-SIM + eSIM, dual stand-by) SIM-kart sayı 2 5G	1
58	CFQ7TTC0QW7C-0006Microsoft Teams Rooms Pro without Audio Conferencing	5
59	Canon EOS R6 Mark 2	1
60	Canon EF 24-70mm f 2.8L 2 US	1
61	Flaş Godox V1 Flash For Canon	1
62	Lexar - 128 GB, Professional 1800x UHS-2 SDXC Memory Card	3
63	Canon EF24	1
64	Proyektor Texnologiya 3LCD Parlaqlıq (adi rejim) 4600 lm Ölçülər (E x H x D) 32.5 x 9 x 29.9 sm Kontrastlıq 5000000:1 Fokuslanma Əl ilə Xüsusiyyətlər Daxili dinamik, Kensington kilidi Səs səviyyəsi 37 dB Interfeyslər 1x USB Type-A, 1x USB Type-B, 2x HDMI, 2x VGA, Ethernet Növ Projektor Çəki 4.2 kq HDR formatı Yox Lampanın işləmə müddəti (adi rejim) 20000 saatadək Zəmanət 12 ay	2
65	Tab Tension Screen 120" (265x149 sm) Format 16:9 Fiber Glass White Matte With RF Remote Control	2
66	LAN Cable CAT 6 U/UTP LSZH 4x2x23 AWG r Cable	19500
67	Rack Cabinet 9U 600X600 MM No Fan NO SHELF WM6609	1
68	PATCH PANEL PP-03 19 Inch 1u 24 port Cat6 Utp patch panel with 1*back shelf, 110IDC	2
69	Organizer	3
70	PLASTIK XAMUT N4X250(3.6*250) QARA KM21	14
71	SKOP 10 LUQ (1x100)	14
72	SKOP 18 LIK - K	7
73	HILLFAN YANMAZ SPIRAL BOZ TELLİ 25 50METR TOP	14
74	KAROPKA KLIPSAL	60
75	RJ45 Jack Voltam CAT6 UTP	200
76	Kamera Hikvision ds-2cd1343g2-i 2.8mm 4mp IR30m Human And Vehicle Detection Turret IP	2
77	FLOOR BOX 4N Kompilekt (Alt Qutu+ Elektrik Priz+ Cat6 Yuva RJ45)	47
78	Shturmann 4x2x24Awg Cat 5E UTP 500 Metr	1500
79	SHTURMANN LOUD SPEAKER CABLE 2X1.5 HI-FI 100M	100
80	PALAVOY KABEL KANALI 75X2	6
81	HILLFAN YANMAZ SPIRAL BOZ TELLİ F18 100M	3
82	VOLTAM VH-11 HDMI1.4 cable 4K 30HZ (10m)	1
83	HDMI Cable Morelecs - 10 Metr (4K)	2
84	DATA PRIZI SCHNEIDER CLIPSAL 2LI BEYAZ	60
85	Projector ceiling mount	3
86	MASAUSTU ROZETKA (1 Hdmi,2 CAT6,2-Elektrik 220v)	1
87	MASAUSTU ROZETKA LEGRAND Metal(HDMI,220V-2,CAT6-2)	2
88	FLOOR BOX N8 (Rozetka dərin+4 rj11 +rj45 internet)	40
89	Cabel Kanal LEGRAND DLP-S 100X50MM	70
90	QAPAQ LEGRAND SONLANDIRMA 100X50MM	10
91	KANAL LEGRAND BİRLEŞTİRMƏ 100X50MM	10
92	DÖNGƏ LEGRAND ÇÖL DLP-S 100X50MM	6
93	DÖNGƏ LEGRAND İÇ DLP-S 100X50MM	10
94	ÇƏRÇİVƏ LEGRAND BEY 4 MODUL 45X45MM	15

95	ÇƏRÇİVƏ LEGRAND BEY 6 MODUL 45X45MM	15
96	PRİZ LEGRAND MOSAİC DATA RJ45 CAT6 UTP	40
97	PRİZ LEGRAND MOSAİC RJ11 1 MODUL	20
98	PRİZ LEGRAND ARMADA TOPRAKLI QORUMA	60
99	DIRSEK LEGRAND 90DER DEGİSKEN 100X50MM 638013	5
100	DIRSEK LEGRAND T DLP-S 100X50MM 638034	5
101	HDMI EXTENDER 60M CAT-5E/6 CABLE 1080P	10
102	VOLTAM VH-23 HDMI KVM EXTENDER 4K 120-METR	3
103	MASAÜSTÜ ROZETKA WATSONS BLACK (NFC+HDMI+2x220V+USB+TYPE C+LAN)	3
104	CP-5005 PLASTİK QUTU 400X600X200 CETINKAYA	1
105	Spiral Boru Turk 32mm (50 m) TOP	2
106	Telefon LEGRAND RJ11 (Qapaq+2 modul)	36
107	Converter HDMI Splitter 4K 1x2 Out 2 Port 1 x 2 HDMI Support	6
108	HDMI Cable Morelecs - 10 Metr (4K)	5
109	SHTURMANN SH-SG103W AMPLIFIER USB SD CARD BLUETOOTH	3
110	DLP DATA PRİZ LEGRAND CAT6UTP	100
111	Cercive Legrand DLP 4MOD 75MM	50
112	PLASTİK XAMUT N4X250 (3.6x250) QARA KM21	10
113	Rack Cabin 27U 600x1000mm	1
114	Shturmann 1U 5 Ring Cable Organizer	4
115	CAT6 UTP 48 PORT PATCH PANEL	2
116	36-in MFP Print, copy, scan / Print speed 21 sec/page on A1, 120 A1 prints per hour Print head nozzles 1376 per color; 5504 in total Media thickness Up to 11.8 mil Media thickness maximum (metric) Up to 0.3 mm Media width, maximum 914 mm Media sizes, custom Front-loading input tray: 210 x 279 to 305 x 457 mm; Manual feed: 210 x 279 to 914 x 1676 mm Media sizes supported Input tray: A4, A3; Manual feed: A4, A3, A2, A1, A0 Media weight, recommended 60 to 280 g/m ² (roll/manual feed); 64 to 220 g/m ² (front-loading input tray) inear scan speed Up to 3.81 cm/sec (color, 200 dpi), up to 11.43 cm/sec (grayscale, 200 dpi) Scan to email, network, and USB. Scan to cloud, computer, and mobile through Scanner maximum media thickness Up to 0.8 mm Scan size, maximum 914 mm x 2.77 m Connectivity, standard Gigabit Ethernet (1000Base-T), Wi-Fi 802.11b/g/n	1
117	A3 Color Laser Multifunctional Core Functions Print, Copy, Scan, Send, Store and Optional Fax Processor Speed 1.8GHz Dual Core Processor Control Panel 10.1" TFT LCD WSVGA Color Touch panel Memory Standard: RAM 4.5GB StorageStandard: (SSD) 256 GB Optional: (SSD) 1TB Interface Connection NETWORK Standard: 1000Base-T/100Base-TX/10Base-T Optional: Wireless LAN (IEEE 802.11 b/g/n) OTHERS Standard: USB 2.0 (Host) x1, USB 3.0 (Host) x1, USB 2.0 (Device) x1; Optional: Serial Interface, Copy Control Interface Standard: 1,200 sheets 100-sheet Multi-purpose tray 550-sheet Paper cassette x 2. Maximum: 2,300 sheets (with Cassette Feeding Unit-AW1) 1-sided: Up to 30 ppm (A4, A5, A5R, A6R), Up to 15 ppm(A3), Up to 20 ppm (A4R) Print Resolution (dpi) 1,200x600, 1,200x1,200 (half-speed) Copy Speed 1-sided: Up to 30 ppm (A4, A5, A5R, A6R), Up to 15 ppm (A3), Up to 20 ppm (A4R) First-Copy-Out Time Approx. 6.1/8.4 seconds or less Type Standard: Color Platen Optional: Platen Cover-Y3, Single Pass DADF-C111 or DADF-BA1 [2-sided to 2-sided (Automatic with DADF)] DADF: Duplexing Automatic Document Feeder Document Feeder Paper Capacity (80 gsm) Single Pass DADF-C1: up to 200 Sheets DADF-BA1: up to 100 Sheets	2
118	Color LaserJet Pro MFP Printer A4 LaserJet / Print, copy, scan / Black 33 ppm / Color 33 ppm / Up to 600 x 600 dpi / Touch LCD 10.92 cm (4.3") CGD / 2 Host port / USB 2.0 Printing Port / Ethernet (RJ-45) / Wi-Fi / 512 MB / Duplex printing / Flatbed, ADF / 60-163 g/m ² / One Year Warranty	1
119	Notebook Business model Intel Core Ultra 7 255H (up to 5.10 GHz / 16Core / 24MB) / 16GB (1x16GB) DDR5-5600 MHz / / 512 GB SSD M.2 / / 14" (35.6 cm) WUXGA (1920 x 1200) IPS 400 nits 60Hz / Intel Arc Graphics / Ethernet (RJ-45) / Wi-Fi / Bluetooth / / Backlight / / 57Wh / 1.38 kg / FreeDOS / Three Years Warranty / Black /	30
120	Mövcüd switçler üçün avandırlıq Catalyst IE3300 with 16 GE PoE/PoE+ Copper, Expansion Module SNTC-8X5XNBD Catalyst IE3300 Rugged 16 Port GE PoE+ E	11

121	Microsoft 365 Business Premium	20
122	Notebook Intel Core i7 14650HX (up to 5.20 GHz / 16Core / 30MB) / 32GB (2x16GB) DDR5-5600 MHz / / 1 TB SSD M.2 / / / 16.1" (40.9 cm) Full HD (1920 x 1080) IPS 300 nits 165Hz / NVIDIA GeForce RTX 4070 8GB GDDR6 / Ethernet (RJ-45) / Wi-Fi / Bluetooth / / Backlight / / 6-cell, 83 Wh / 2.33 kg / FreeDOS / One Year Warranty / Mica silver /	1
123	Monitor 31.5" (80 cm) 4K UHD (3840 x 2160) 60Hz IPS 350 cd/m ² 16:9 Anti-Glare / 5 ms / HDMI / DisplayPort / 3 x USB 3.2 Port / 2 Type-C / Ethernet (RJ-45) / Speakers / VESA / Three Years Warranty Power cord / USB cable	1
124	Mouse Logitech MX Master 3S Graphite	1